

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identification

Trade name : WALL PAINT PROJECT
Product form : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for professionals and industry.

1.2.2. Uses not recommended

No additional information available

1.3. Details of the supplier of the safety data sheet

Sobeltec N.V.
Klein Frankrijkstraat 43
9600 Ronse - Belgium
T +32 55 230 600
info@sobeltec.be

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP] Mixtures/Substances: MSDS EU 2015: According to (EU) Regulation 2015/830 (Annex II of REACH)
Not classified

Adverse physicochemical, health and environmental effects

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008.

2.2. Labelling elements

Labelling according to Regulation (EC) No 1272/2008 [CLP].

Signal word (CLP) : Not applicable
Hazard statements (CLP) : Not applicable
Safety advice (CLP) : P102 - Keep out of the reach of children.
: P260 - Do not breath aerosols.
Additional label elements : EUH208 - Contains reaction mass (3:1) of 5-chloro-2-methyl-2H-isothiazole-3-one and 2-methyl-2H-isothiazole-3-one, 1,2-benzisothiazole-3(2H)-one. May cause allergic reaction.
Caution! Dangerous inhalable droplets may be formed if sprayed.
EUH210: Safety data sheet available on request.
EU limit value for this product (A/g): 30 g/l (2010). This product contains maximum 30 g/l VOC. No/very little solvent; suitable for professional use within ARBO.
For further information and preparation: consult the technical data sheet.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of the REACH Regulation, Annex XIII

This substance/mixture does not meet the vPvB criteria of the REACH Regulation, Annex XIII

SECTION 3: Composition and information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identification	%	Classification according to Regulation (EC) No 1272/2008 [CLP].
Titanium dioxide Substance subject to a Community exposure limit in the workplace	(CAS No) 13463-67-7 (EC No) 236-675-5 (REACH No) 01-2119489379-17	5-20	Not classified

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

Methoxydipropanol substance with a Community workplace exposure limit	(CAS No)34590-94-8 (EC No) 252-104-2 (REACH No) 01-2119450011-60	<2	Not classified
1,2-benzisothiazole-3(2H)-one; 1,2-benzisothiazolin-3-on	(CAS No) 2634-33-5 (EC No) 220-120-9 (EU Identification No) 613-088-00-6	0,005=< C < 0,05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
2-methyl-2H-isothiazole-3-one	(CAS No) 2682-20-4 (EC No) 220-239-6	0,01=< C < 0,1	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Inhalation:vapour), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
reaction mass (3:1) of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-2H-Isothiazole-3-one [EC No 220-239-6]; reaction mass (3:1) of: 5-chloor-2-methyl-4-isothiazoline-3-on [EG-No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC-No. 220-239-6]	(CAS No) 55965-84-9 (EC No) 613-167-00-5	0,00015=< C < 0,0015	Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of first aid measures

First aid	: Keep container or label available when seeking medical advice.
First aid after inhalation	: When used as directed: not required.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. Do not use solvents or thinners.
First aid after contact with eyes	: IF IN EYES: rinse carefully with water for several minutes. minutes; remove contact lenses, if possible; continue rinsing. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: If in doubt or if symptoms persist, consult a doctor DO NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: If unwell, consult a physician.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: None under normal use.
Symptoms/effects after eye contact	: None under normal use.
Symptoms/effects after ingestion	: May cause irritation of the gastrointestinal tract, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : water spray, carbon dioxide (CO₂), foam and powder.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Fire precautions	: Evacuate.
Extinguishing instructions	: Avoid discharge of extinguishing water into the environment. Protection during fire fighting
Other information	: Self-contained breathing apparatus. : Use extreme caution when fighting a chemical fire.

SECTION 6: Accidental release measures for the substance or mixture

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For persons other than the emergency services

Emergency procedures : Avoid contact with eyes, skin or clothing. Alert the police and fire brigade as soon as possible.

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

6.1.2. For the emergency services

No additional information available

6.2. Environmental precautions

Clean up leaks/spills.

6.3. Methods and material for containment and cleaning up

Before containment : Clean up spilled substance.

Cleaning methods : This product and its packaging should be disposed of safely in accordance with local legislation.

Other information : Take waste or solid residues to an approved waste disposal facility.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

No additional information available

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in tightly closed packaging.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)		
EU	Local name	Titanium dioxide
EU	Notes	(ongoing)
EU	Reference regulations	SCOEL Recommendations
methoxydipropanol (34590-94-8)		
EU	IOELV TWA (mg/m ³)	308 mg/m ³
EU	IOELV TWA (ppm)	50 ppm
Belgium	Limit value (mg/m ³)	308 mg/m ³
Belgium	Limit value (ppm)	50 ppm
France	VME (mg/m ³)	(2-Méthoxyméthylethoxy)-propanol,308 mg/m ³ ; France; Time-weighted average 8h; PRC: Valeur réglementaire contraignante
France	VME (ppm)	(2-Méthoxyméthylethoxy)-propanol,50 ppm; France; Time-weighted average 8h; PRC: Valeur réglementaire contraignante
Netherlands	Limit value TGG 8H (mg/m ³)	Dipropylene glycol methyl ether,300 mg/m ³ ; The Netherlands; Time-weighted average 8h; Legal
Netherlands	Limit value TGG 8H (ppm)	Dipropylene glycol methyl ether,49 ppm; The Netherlands; Time-weighted average 8h; Legal
United Kingdom	WEL TWA (mg/m ³)	308 mg/m ³
United Kingdom	WEL TWA (ppm)	50 ppm
USA – ACGIH	ACGIH TWA (ppm)	100 ppm
USA – ACGIH	ACGIH STEL (ppm)	100 ppm
reaction mass (3:1) of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazolin-3-one [EC No 220-239-6]; reaction mass (3:1) of: 5-chloro-2-methyl-4-isothiazoline-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (55965-84-9)		
Belgium	Limit value TGG 8H (mg/m ³)	0.2 mg/m ³
Netherlands	Limit value TGG 8H (mg/m ³)	0.2 mg/m ³

8.2. Exposure controls

Appropriate technical measures:

Ensure that the workplace is well ventilated. Wherever possible, this should be achieved by source capture and good room ventilation. If this is not

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

sufficient to maintain particulate matter and solvent vapour concentrations below the Public or Private Limit Value (MAC), then suitable respiratory protection must be used.

Personal protective equipment:

Close-fitting glasses.

Gloves. Wear respiratory protection in case of insufficient ventilation.

Hand protection:

For gloves, there are no materials or combinations of materials available that provide unlimited resistance to single-cell hazards. chemicals or combinations of chemicals. In case of persistent contact, use rubber or neoprene gloves. The breakthrough time should be greater than the useful life of the product. Please follow the instructions of the glove supplier regarding use, storage, maintenance and replacement of gloves. Gloves should be changed at regular intervals and at the moment of Damage/degradation of the glove material. Always make sure that gloves are not damaged and that they are properly be used and stored. Physical and chemical damage may reduce the performance or effectiveness of the glove. An occlusive cream can help protect exposed skin areas. However, it should not be applied if contact has already occurred.

Eye protection:

Use close-fitting safety goggles that protect against splashes.

Skin and body protection:

Cotton or cotton/synthetic coveralls are normally suitable. All parts of the body that have been in contact with the product should be washed thoroughly.

Respiratory protection:

Users exposed to concentrations above the Public or Private Limit Value (MAC) must use a suitable approved respiratory equipment.

Symbols for personal protective equipment:



Limitation and control of environmental exposure:

Avoid release into the environment.

Other information:

Do not eat, drink or smoke while using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Different colors
Odour	: Characteristic
Odour threshold	: No data available
pH	: 8 - 9
Relative evaporation rate (butyl acetate=1)	: No data available Melting
point	: No data available
Freezing point	: 0 °C water
Boiling point	: 100 °C water
Flash point	: No data available
Auto-ignition temperature	: Product does not ignite by itself
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: ≈ 1.45 - 1.50 kg/l
Solubility	: Miscible in water
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: > 4000 mPa.s (Brookfield: 20 RPM, 20 °C)
Explosive properties	: No data available
Oxidising properties	: No data available
Explosion limits	: No data available

9.2. Other information

VOC content : ≈ 2 % Approx. 100 g/L

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

SECTION 10: Stability and reactivity

10.1. Reactivity

Avoid all contact with oxidizing agents, strong alkaline and strong acid materials to prevent exothermic reactions. Stable when stored and used as directed in section 7.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Alkalis. Acids. Oxidising agents.

10.6. Hazardous decomposition products

In case of fire, carbon oxides (e.g. CO) and smoke can be released.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Titanium dioxide (13463-67-7)	
LD50 oral rat	>5000 mg/kg CSR applicable
LC50 inhalation rat (mg/l)	6,82 mg/l/4h CSR applicable
LD50 dermal rabbit	9500 mg/kg (Rabbit; Literature study)
Skin corrosion/irritation	Repeated or prolonged exposure to the product may result in the removal of the lipids from the skin which can cause non-allergic contact eczema and allow the substance to be absorbed through the skin
Serious eye damage/eye irritation	If the liquid gets into the eyes, this can result in irritation and damage which in turn will recover. pH: 8 - 9 @ 20 °C
Respiratory tract/skin sensitisation	Not classified
Mutagenicity in germ cells	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT at single exposure	Not classified
STOT with repeated exposure	Not classified

methoxydipropanol (34590-94-8)	
LD50 oral rat	5135 mg/kg (Rat; equivalent or equivalent to OECD 401; Literature study; >5000 mg/kg; Rat; Experimental value)
LD50 dermal rat	9500 mg/kg (Rat; Literature study; Equivalent or equivalent to OECD 402; >19020 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	9500 mg/kg (Rabbit; Literature study)
Skin corrosion/irritation	: Not classified pH: approx. 8-9
Serious eye damage/eye irritation	: Not classified pH: approximately 8-9
Respiratory tract/skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT on single exposure	: Not classified
STOT on repeated exposure	: Not classified
Danger by inhalation	: Not classified

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: This mixture has been classified according to the conventional method of Regulation (EC) No 1272/2008 [CLP] and is accordingly classified as NOT environmentally hazardous, but contains substances dangerous for the environment. See Section 3.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Titanium dioxide (13463-67-7)

LC50 fish 1	> 1000 mg/l (Pimephales promelas) CSR applicable
EC50 Daphnia 1	> 1000 mg/l
EC50 72h algae 1	61 mg/l pseudokirchneriella subcapitata CSR applicable

methoxydipropanol (34590-94-8)

LC50 fish 1	> 10000 mg/l (96 h; Pimephales promelas; GLP)
LC50 fish 2	> 150 mg/l (72 h; Pisces)
LC50 other aquatic organisms 1	> 1000 mg/l (96 h; Crangon crangon)
Toxicity threshold other aquatic organisms 1	> 1000 mg/l (96 h; Crangon crangon)
Toxicity threshold algae 1	969 mg/l (72 h; Selenastrum capricornutum; GAP)
Toxicity threshold algae 2	> 969 mg/l (72 h; Selenastrum capricornutum; GLP)

1,2-benzisothiazool-3(2H)-on; 1,2-benzisothiazoline-3-on (2634-33-5)

LC50 fish 1	> 1,6 mg/l (Oncorhynchus mykiss, 96h)
EC50 Daphnia 1	> 4,8 mg/l
ErC50 algae	0,11 mg/l (72h, Selenastrum capricornutum)

2-methyl-2H-isothiazool-3-on (2682-20-4)

LC50 fish 1	6 mg/l (Oncorhynchus mykiss, 96h)
EC50 Daphnia 1	1.68 mg/l (48h)
ErC50 algae	0.157 mg/l (72h, pseudokirchneriella subcapitata)

reaction mass (3:1) of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazolin-3-one [EC No 220-239-6]; reaction mass (3:1) of: 5-chloro-2-methyl-4-isothiazoline-3-one [EC No 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC No 220-239-6] (55965-84-9)

LC50 fish 1	0.22 mg/l (Oncorhynchus mykiss, 96h)
EC50 Daphnia 1	0,12 mg/l
ErC50 algae	0,048 mg/l (pseudokirchneriella subcapitata)

12.2. Persistence and degradability

WALL PAINT PROJECT

Persistence and degradability	There are no data available on the preparation itself.
-------------------------------	--

methoxydipropanol (34590-94-8)

Persistence and degradability	Readily biodegradable in water. No (test) data available on mobility of the substance. Photolysis in air.
Biochemical oxygen demand (BOD)	0 g O ₂ /g dust
ThZV	2.06 g O ₂ /g substance
BOD (% of ThOD)	0 % ThOD

12.3. Bioaccumulation

WALL PAINT PROJECT

Log Pow	No data available
Bioaccumulation	There are no data available on the preparation itself.

methoxydipropanol (34590-94-8)

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

Log Pow	0,0043 (Experimental value; OECD 102; 25 °C)
Bioaccumulation	Low bioaccumulation potential (Log Kow < 4)
1,2-benzisothiazool-3(2H)-on; 1,2-benzisothiazoline-3-on (2634-33-5)	
BCF Fish 1	6,95 (OECD 305)
Log Kow	0.7 (OECD 117)
2-methyl-2H-isothiazool-3-on (2682-20-4)	
Bioconcentration factor (BCF REACH)	3,16
Log Kow	-0,32

12.4. Mobility in soil

WALL PAINT PROJECT	
Ecology - soil	There are no data available on the preparation itself.
Titanium dioxide (13463-67-7)	
Log Koc	No results are available for the adsorption/desorption of TiO ₂ . Therefore read-across is proposed to K _p values based on available monitoring data for elemental Ti concentration in water and corresponding sediment or suspended matter (no data are available for soil). These results reflect equilibrium conditions for Ti in the environment, regardless of the speciation of Ti. Value used for CSA: log K _p (solids-water in sediment): 4.61 L/kg; log K _p (solids-water in suspended matter): 5.36 L/kg;

12.5. Results of PBT and vPvB assessment

WALL PAINT PROJECT	
This substance/mixture does not meet the PBT criteria of the REACH Regulation Annex XIII	
This substance/mixture does not meet the vPvB criteria of the REACH Regulation, annex XIII	

12.6. Other adverse effects

Additional information : Prevent discharge to the environment.

SECTION 13: Instructions for disposal

13.1. Waste treatment methods

Recommendations for waste disposal	: Do not discharge into drains or rivers. Dispose of waste in compliance with of the applicable local regulations. Take this material and its container to hazardous or special waste collection point.
Additional Information	: Even small amounts of leaked or spilled product should be cleaned up without unnecessary risk. Uncleaned packagings: Recommendation: Packagings which are not completely empty must be disposed of in consultation with the manufacturer. Directive 91/689/EEC.
Ecology - waste	: Prevent discharge to the environment.
EURAL code	08 00 00 - WASTES FROM THE MFSU OF THE PRODUCT. OF COATINGS (PAINT, VARNISH AND ENAMEL), ADHESIVES, SEALANTS AND PRINTING INKS 08 01 12 - waste paints and varnish other than those mentioned in 08 01 11

SECTION 14: Information relating to carriage

In accordance with the requirements of ADR/RID/IMDG/IATA/ADN

14.1. UN number

UN No	: Not applicable
UN No (IMDG)	: Not applicable
UN No (ICAO)	: Not applicable
UN No (ADN)	: Not applicable
UN No (RID)	: Not applicable

14.2. Proper shipping name according to UN Model Regulations

Official transport name (ADR)	: Not applicable
Official transport name (IMDG)	: Not applicable

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830 Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

Official transport name (IATA) : Not applicable
Official transport name (ADN) : Not applicable
Official transport name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Environmentally hazardous : No

Marine pollution : No

Other information : No additional information available

14.6. Special precautions for user

Land transport

Not applicable

Transport on open sea

Not applicable

Air transport

Not applicable

Transport on inland waters

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory framework

15.1. Safety, health and environmental regulations and legislation specific for the substance or mixture

15.1.1. EU regulations

Does not contain substances subject to restrictions under Annex XVII of REACH Does

not contain substances from the candidate list of REACH

Does not contain any substance listed in Annex XIV of REACH

VOC content : $\approx 2\%$ Approx. 100 g/L

Regulation 2012/18/EU (SEVESO III)

15.1.2. National regulations

Germany

Reference to AwSV : Water endangerment class (WBD) nwg, not water endangered (Classification according to AwSV, annex 1)

12th Implementation Decree of the German Federal Immission Control Act - 12.BImSchV : Not subject to the 12th BImSchV (Order on protection against emissions) (Regulation on major accidents).

Netherlands

WALL PAINT PROJECT

Safety data sheet

in accordance with Regulation (EC) No 1907/2006 (REACH) with additional (EU) 2015/830
Date of issue: 03/02/2022 Date of revision: 31/07/2022 Version: 1.2

SZW list of carcinogenic substances	: The substance is not present
SZW list of mutagenic substances	: The substance is not present
NON-limitative list of substances toxic for reproduction - Breast-feeding	: The substance is not present
NON-limitative list of substances toxic for reproduction - Fertility	: The substance is not present
NON-limitative list of substances toxic for reproduction - Development	: The substance is not present

Denmark

Danish national regulations : Pregnant / nursing women who handle the product should not handle it directly.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:			
Heading	Changed item	Change	Remarks
3.2, 8.1, 11.1, 12.1, 12.4	Titanium dioxide	Added	

Indication of changes	
Full text of sentences H and EUH:	
Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation: vapour) Category 2
Acute Tox. 3 (Dermal)	Acute dermal toxicity, Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity by inhalation, Category 3
Acute Tox. 3 (Oral)	Acute oral toxicity, Category 3
Acute Tox. 4 (Oral)	Acute oral toxicity, Category 4
Aquatic Acute 1	Acute danger to the aquatic environment, Category 1
Aquatic Chronic 1	Chronic hazard for the aquatic environment, Category 1
Aquatic Chronic 2	Chronic hazard for the aquatic environment, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, Category 1A
P102	Keep out of reach of children.
P260	Do not inhale aerosols.
EUH208	Contains reaction mass (3:1) of 5-chloro-2-methyl-2H-isothiazole-3-one and 2-methyl- 2H-isothiazole-3-one, 1,2-benzisothiazole-3(2H)-one. May cause allergic reaction. Caution. Atomization may produce hazardous inhalable droplets.
EUH210:	Safety data sheet available on request. EU limit value for this product (A/g): 30 g/l (2010). This product contains max. 30 g/l VOC. No/very little solvent; sufficient for professional use within ARBO. For further information and preparation: consult the technical data sheet.

EU SDS (REACH Annex II)

This information is based on our present knowledge and is intended to describe the product for the purposes of health, safety and environmental considerations. It should not be construed as a guarantee for any specific product feature.