

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Wood FibrePrep
UFI : 2P35-G02R-6008-8SAX
Product code : 396/991
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Professional use
Industrial/Professional use spec : Products for the cleaning and care of indoor wooden and other hard surface furniture.
Includes general cleaning products, dust sprays, polishes, conditioners...
Use of the substance/mixture : Wood parquet flooring cleaner and preparator
Function or use category : 55/999 Others

Uses advised against

Restrictions on use : Any other intended applications should be discussed with the manufacturer

1.3. Details of the supplier of the safety data sheet

Manufacturer

Sobeltec N.V.
Klein Frankrijkstraat 43
9600 Ronse
Belgium

Tel. : +32 55 230 600
E-mail: info@sobeltec.be
Website: www.sobeltec.be / www.ariomat.com

Competent person responsible for the SDS: R&D Manager
Tel. : +32 55 21 10 25
E-mail: info@sobeltec.be

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245	Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1 H314
Serious eye damage/eye irritation, Category 1 H318

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Full text of H- and EUH-statements; SECTION 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

Contains

: oxalic acid; dihydrate

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP)

: P264 - Wash hands, forearms and face, any exposed skin part thoroughly after handling.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Immediately call a POISON CENTER, a doctor.
P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER, a doctor.
P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.
P405 - Store locked up.

2.3. Other hazards

Other hazards which do not result in classification : If spilled, may cause the floor to be slippery.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
oxalic acid; dihydrate substance with national workplace exposure limit(s) (BE)	CAS-No.: 6153-56-6 EC-No.: 612-167-2 EC Index-No.: 607-006-00-8 REACH-no: 01-2119534576-33	1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Dam. 1, H318

Full text of H- and EUH-statements; SECTION 16

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Seek medical attention immediately. First aider: Pay attention to self-protection!. Remove from exposure, if possible in fresh air and lie down the victim. It may be dangerous to the person providing aid to give mouth-to mouth resuscitation. Remove contaminated clothes.
First-aid measures after inhalation	: Remove victim to fresh air. If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately consult a doctor/medical service.
First-aid measures after skin contact	: Get immediate medical advice/attention. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Remove contaminated clothing immediately.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Protect unharmed eye.
First-aid measures after ingestion	: Immediately consult a doctor/medical service. Rinse mouth out with water. Drink plenty of water as a precaution. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Do not give mouth-to-mouth resuscitation if victim ingested or inhaled the substance.
Self protection of the first-aiders	: First aider: Pay attention to self-protection!. It may be dangerous to the person providing aid to give mouth-to mouth resuscitation.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: The product itself does not burn.
Explosion hazard	: None known.
Reactivity in case of fire	: None under normal conditions.
Hazardous decomposition products in case of fire	: At high temperatures : May release : Carbon oxides (CO, CO ₂). Formic acid.

5.3. Advice for firefighters

Precautionary measures fire	: Approach from upwind.
Firefighting instructions	: Take account of environmentally hazardous firefighting water. Dilute toxic gases with water spray.
Protection during firefighting	: Appropriate self-contained breathing apparatus may be required.
Other information	: Avoid release to the environment. Dispose of contaminated materials in accordance with current regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Avoid all eye and skin contact and do not breathe vapour and mist. Ensure adequate air ventilation. Wear suitable protective clothing.
------------------	--

For non-emergency personnel

Protective equipment	: See "Material-Handling" to select protective clothing.
----------------------	--

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

For emergency responders

Protective equipment : For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Not in groundwater, surfacewater or sewerage.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible. Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid. Dam up the liquid spill. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Collect in closed container and remove to a safe place for disposal by burning. Absorb remaining liquid with sand or inert absorbent and remove to safe place.

Methods for cleaning up : Shovel or sweep up and put in a closed container for disposal. Scoop or vacuum spilled material rapidly in a suitable container with an explosion proof or hand pump.

Other information : Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry.

6.4. Reference to other sections

Reference to other sections (8, 13). Information regarding safe handling, see section 7.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : None under normal use.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapour and mist. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Clean contaminated clothing. Handle in accordance with good industrial hygiene and safety practice.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Separate working clothes from town clothes. Launder separately.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ensure adequate air ventilation.

Storage conditions : Keep container tightly closed and in a well-ventilated place. Avoid high temperatures. Protect from low temperatures.

Incompatible products : Keep away from: strong acids, strong bases and oxidising compounds, water, reductor agents.

Incompatible materials : Keep away from strong acids and strong oxidizers. Metals. Do not use with copper/aluminium/zinc - risk of corrosion.

Heat and ignition sources : Keep away from : heat sources.

Information on mixed storage : Store away from strong oxidizers, strong bases, strong acids. Do not store with: Food/feed stuff.

Storage area : Keep in a cool, well-ventilated place. Keep out of direct sunlight.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Wood FibrePrep	
EU - Indicative Occupational Exposure Limit (IOEL)	
European Union Legislation	Does not contain components with substance specific occupational exposure limits.

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

oxalic acid; dihydrate (6153-56-6)

Belgium - Occupational Exposure Limits

Local name	Acide oxalique (dihydraté) # Oxaalzuur (dihydraat)
OEL TWA	1 mg/m ³
OEL STEL	2 mg/m ³
Regulatory reference	Koninklijk besluit/Arrêté royal 19/11/2020

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Good ventilation of the workplace required. If possible with source exhaust and good ventilation.

Personal protection equipment

Personal protective equipment:

gloves. protective clothing. Protective goggles. Face shield. Wear foot protection.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166). Eye protection, including both chemical splash goggles and face shield, must be worn when possibility exists for eye contact due to spraying liquid or airborne particles

Skin protection

Skin and body protection:

When skin contact is possible, protective clothing including gloves, apron, sleeves, boots, head and face protection must be worn

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) and other. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing

Other skin protection

Materials for protective clothing:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust)

Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Thermal hazard protection:

On heating: self-contained breathing apparatus.

Environmental exposure controls

Environmental exposure controls:

Assure that emissions are compliant with all applicable air pollution control regulations.

Other information:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not eat, drink or smoke when using this product. Separate working clothes from town clothes.

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: dark brown.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not determined
Melting point	: Not determined
Freezing point	: 0 °C
Boiling point	: 100 °C
Flammability	: Non flammable
Explosive properties	: Product is not explosive.
Oxidising properties	: not expected.
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not determined
pH	: 1 – 2
pH solution	: Not determined
Viscosity, kinematic	: Not determined
Viscosity, dynamic	: < 200 cP
Solubility	: Water: Soluble
Partition coefficient n-octanol/water (Log Kow)	: Not determined
Vapour pressure	: Not determined
Vapour pressure at 50°C	: Not determined
Density	: 1.005 kg/l
Relative density	: Not determined
Relative vapour density at 20°C	: Not determined
Particle characteristics	: Not applicable

9.2. Other information

Information with regard to physical hazard classes

Critical temperature	: Not determined
----------------------	------------------

Other safety characteristics

Relative evaporation rate (butylacetate=1)	: Not determined
Other properties	: The product has not been tested, No further information available.
Additional information	: If necessary, information on other physical and chemical parameters is indicated in this section.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal conditions.

10.4. Conditions to avoid

Avoid high temperatures. Keep away from reducing agents/(strong) acids /(strong) bases.

10.5. Incompatible materials

May be corrosive to metals.

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

oxalic acid; dihydrate (6153-56-6)

LD50 oral rat	7.5 – 9.5 ml/kg ECHA registration dossier
LD50 dermal rabbit	20000 mg/kg ECHA registration dossier
NOAEL, oral, rat, systemic	63 mg/kg bw/day

Skin corrosion/irritation	: Causes severe skin burns. pH: 1 – 2
Additional information	: May cause slight irritation.
Serious eye damage/irritation	: Causes serious eye damage. pH: 1 – 2
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

Wood FibrePrep

Viscosity, kinematic	Not determined
----------------------	----------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
--	--

Other information

Potential adverse human health effects and symptoms	: Causes severe skin burns and eye damage.
Other information	: No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Not expected to present a significant hazard under anticipated conditions of normal use.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009).
Ecology - water	: Do not allow the product, as is, to spread into the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Additional information : No further information available. No experimental study on the product is available. The information given is based on our knowledge of the components and the classification of the product is determined by calculation.

oxalic acid; dihydrate (6153-56-6)

EC50 - Crustacea [1]	162.2 mg/l ECHA reference
EC50 72h - Algae [1]	18.39 – 21.35 mg/l ECHA reference

12.2. Persistence and degradability

Wood FibrePrep

Persistence and degradability	Not determined.
-------------------------------	-----------------

oxalic acid; dihydrate (6153-56-6)

Persistence and degradability	Readily biodegradable.
Biochemical oxygen demand (BOD)	160 g O ₂ /g substance ECHA registration dossier
Biodegradation	100 % ECHA registration dossier

12.3. Bioaccumulative potential

Wood FibrePrep

Partition coefficient n-octanol/water (Log Kow)	Not determined
Bioaccumulative potential	Not determined.

oxalic acid; dihydrate (6153-56-6)

Partition coefficient n-octanol/water (Log Pow)	-1.7 @23°C and Ph 2_ECHA reference
---	------------------------------------

12.4. Mobility in soil

Wood FibrePrep

Ecology - soil	Not determined.
----------------	-----------------

12.5. Results of PBT and vPvB assessment

Wood FibrePrep

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Results of PBT assessment	Not applicable
---------------------------	----------------

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Other adverse effects : When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Wood FibrePrep

Other information	No other effects known
-------------------	------------------------

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Contain and dispose of waste according to local regulations.
Waste treatment methods	: Collect all waste in suitable and labelled containers and dispose according to local legislation.
Sewage disposal recommendations	: Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	: Handle uncleaned empty containers as full ones.
Additional information	: Disposal through controlled incineration or authorised waste dump. Keep in suitable, closed containers for disposal. Comply with local regulations for disposal.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
NOT SUBJECT	NOT SUBJECT	NOT SUBJECT	NOT SUBJECT	
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

Other information, restriction and prohibition regulations : Any other intended applications should be discussed with the manufacturer. Ensure all national/local regulations are observed.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

National regulations

Users should ensure that they comply with any relevant local, provincial or national legislation.

No additional information available

This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product

15.2. Chemical safety assessment

A chemical safety assessment has been carried out for the substance or the mixture by the supplier

Available on request

For the following substances of this mixture a chemical safety assessment has been carried out:

oxalic acid; dihydrate

SECTION 16: Other information

Indication of changes:

New Safety Data Sheet. Report mixture CLP classification/labelling.

Abbreviations and acronyms:	
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Abbreviations and acronyms:	
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LOAEL	Lowest Observed Adverse Effect Level
EC50	Median effective concentration
LC50	Median lethal concentration
LD50	Median lethal dose
TLM	Median Tolerance Limit
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
PNEC	Predicted No-Effect Concentration
PBT	Persistent Bioaccumulative Toxic
SDS	Safety Data Sheet
STP	Sewage treatment plant
vPvB	Very Persistent and Very Bioaccumulative
CAS-No.	Chemical Abstract Service number
(COD)	Chemical oxygen demand (COD)
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
EC-No.	European Community number
EN	European Standard
IOELV	Indicative Occupational Exposure Limit Value
OEL	Occupational Exposure Limit
ThOD	Theoretical oxygen demand (ThOD)
VOC	Volatile organic compounds
ED	Endocrine disruptor
N.O.S.	Not Otherwise Specified
CSA	Chemical safety assessment
EINECS	European Inventory of Existing Commercial Chemical Substances
EWC	European waste catalogue
ICAO	International Civil Aviation Organization

Wood FibrePrep

Safety Data Sheet

According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Abbreviations and acronyms:

Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)
PPE	Personal protection equipment
TLV	Threshold Limit Value
UFI	Unique Formula Identifier
ChemOzonSchichtV	Ordinance on Substances Harmful to the Ozone Layer (ChemOzonSchichtV)
ChemVerbotsV	Prohibition of Chemicals Ordinance (ChemVerbotsV)
ChemVOCFarbV	Chemical VOC Paint Regulation (ChemVOCFarbV)
DOT	Department of Transport

Data sources	: Manufacturer/Supplier. Authoring: Quick.MSDS Sprl - Belgium info@quick-msds.be +32 (0) 479 469 465.
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging. Do not handle until all safety precautions have been read and understood. Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection.
Other information	: No further information available.

Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1	H314	On basis of test data
Eye Dam. 1	H318	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.